

MU-10 ECM Capsule Module

Introduction

The MU-10, MU-16 and MU-20 detachable capsule modules are compatible with the SM-24 / SM-32 saxophone & wind instrument microphones and ST Series / ET Series transmitters to suit various wind instruments or erhu.

The three capsule modules are newly developed ECM capsule modules featuring full-range superb directionality, wide frequency response, high dynamic range, rapid transient response and low feedback characteristics.

Technical Specifications

Capsule Module	Ø 10 mm uni-directional condenser microphone
Polar Pattern	Cardioid
Frequency Response	65 Hz – 20 kHz
Sensitivity	-52 dB
Max. SPL	142 dB



MU-16 ECM Capsule Module

Introduction

The MU-10, MU-16 and MU-20 detachable capsule modules are compatible with the SM-24 / SM-32 saxophone & wind instrument microphones and ST Series / ET Series transmitters to suit various wind instruments or erhu.

The three capsule modules are newly developed ECM capsule modules featuring full-range superb directionality, wide frequency response, high dynamic range, rapid transient response and low feedback characteristics.

Technical Specifications

Capsule Module	Ø 16 mm uni-directional condenser microphone
Polar Pattern	Semi-supercardioid
Frequency Response	55 Hz – 20 kHz
Sensitivity	-49 dB
Max. SPL	142 dB



MU-20 ECM Capsule Module

Introduction

The MU-10, MU-16 and MU-20 detachable capsule modules are compatible with the SM-24 / SM-32 saxophone & wind instrument microphones and ST Series / ET Series transmitters to suit various wind instruments or erhu.

The three capsule modules are newly developed ECM capsule modules featuring full-range superb directionality, wide frequency response, high dynamic range, rapid transient response and low feedback characteristics.

Technical Specifications

Capsule Module	Ø 20 mm uni-directional condenser microphone
Polar Pattern	Supercardioid
Frequency Response	50 Hz – 20 kHz
Sensitivity	-49 dB
Max. SPL	145 dB



MIPRO Electronics Co., Ltd

Headquarters: 814 Pei-kang Road, Chiayi, 60096, Taiwan
Tel: +886.5.238.0809 | Fax: +886.5.238.0803
www.mipro.com.tw | mipro@mipro.com.tw