Device: Vimeo Livestream Studio



Introduction

A large number of parameters in the software based video switcher application Livestream Studio can be controlled from a SKAARHOJ control panel. The integration have been done in collaboration with Vimeo. This document gives you an overview of possible control parameters.

The implementation have been done on version 6.3.13 Beta. The official version with API support for SKAARHOJ controllers is version 6.5.2, we are not compatible with earlier versions.

Setting up Livestream Studio for Mac

On the Version 6.3.162 Beta version of Livestream Studio for Mac the "Allow incoming connections" in the Third-party controllers section needs to be enabled. When a SKAARHOJ controller tries to connect it will appear in the "Pending connection". Allow the connection for a SKAARHOJ controller to connect. On the version 6.3.13 Beta for Windows this procedure is not necessary.

Please note, communication with LiveStream Studio uses port 9923. If using LiveStream Studio and KeyBridge together the port used by KeyBridge will need to be changed. Please see the <u>KeyBridge</u> <u>manual</u> for details.

Settings: Studio Surface		CANCEL SAVE
Project Format	live stream	
Inputs	Studio Surface Go	
Outputs	Portable control for Livestream Studio	at the
Recording	Learn more →	
Media Player		-
Streaming	DOWNLOAD MANUAL	
Web Control		
RTMP Server	Third-party controllers	What controllers are supported?
Dropbox	Allow incoming connections Pending connections	
Multi-Screen		
Multi-language Events	Allowed connections	
Ad Insertion	192.168.10.8	×
Hotkeys		
Mouse / Touch		
Studio Surface		
Advanced		
My Account		
About		

Connection

Connection status to Livestream Studio is shown in the serial monitor.



This is a overview of the actions implemented in the Device Core

LiveStream: Program Src LiveStream: Preview Src LiveStream: Prv/Prg Src ✓ LiveStream: Graphics LiveStream: Media LiveStream: Cut LiveStream: Auto LiveStream: FTB LiveStream: Transition Pos LiveStream: Audio Volume LiveStream: Audio Gain LiveStream: Audio Mute LiveStream: Audio On Program LiveStream: Audio HeadPhone LiveStream: Record LiveStream: Stream

This is a table of actions for the Livestream Studio Device Core

Program Source	Sets Program Source
- #1	
	Binary triggers: Sets the selected source on Program. If Hold Down is selected, the source will fall back to the previous source whenever the
Home INS CP -	trigger is released. Toggle will select the source, but on a subsequent
LiveStream: Program Src ▼ Source: 1 ▼ ✓ ≡	trigger, it will fall back to the previous value.
+ Hold Down Toggle	
103310	Pulse inputs: Will cycle through and set the possible sources for
	Program limited by the selected source
	Binary outputs: On when actual Program Src matches selected source
	<i>Button colors:</i> Will be red when Program Src matches selected source, otherwise dim.
	Displays: Pgm Src/Source name taking from Livestream Studio
Preview Source	Sets Preview Source
" 1	Binary triggers: Sets the selected source on Preview. If Hold Down is
Home INS CP -	selected, the source will fall back to the previous source whenever the trigger is released. Toggle will select the source, but on a subsequent
Home INS CP - LiveStream: Preview Src ▼ Source: 1 ▼	trigger, it will fall back to the previous value.
+ Hold Down	
Toggle	Pulse inputs: Will cycle through and set the possible sources for Preview
	limited by the selected source
	Binary outputs: On when actual Preview Src matches selected source
	Button colors: Will be green when Preview Src matches selected source,
	otherwise dim.
	Displays: Prv Src/Source name taking from Livestream Studio
Preview/Program Source	Set Preview Source and if the trigger is held down for more than 1
	second, it will perform a Cut action too.
"' <u>1</u>	
Home INS CP -	Binary inputs: Sets the select source on Preview. If Cycle mode is selected, a trigger will set the next source on Preview (corresponds to a
LiveStream: Prv/Prg Src V Source: 1 V	single pulse input) when released unless the button is held until a Cut is
+ Cycle	performed in which case no new Preview source is selected.
	<i>Pulse inputs</i> : Will cycle through and set the possible sources for Preview limited by the selected source
	Binary outputs: On when actual Preview source or Program source
	matches the selected source
	Button colors: Will be red or green when Program or Preview Src
	matches selected source, otherwise dim. In Cycle mode color will be
	highlighted when button is held down.
	Displays: Pg/Pv Src/Source name taking from Livestream Studio

Graphics	Controls GFX 1-3 to either Preview or Output (Program)
#1 1 Home INS CP ■ LiveStream: Graphics ▼ GFX: 1▼ Output ▼ Toggle ≡ + Show Hide Hold Down	Binary triggers: For Preview: Toggle will put the selected GFX directly on preview (similar to PRV in Livestream Studio). A subsequent push till turn it off - similar to pressing PRV again. Show will only put the selected GFX on Preview. Hide will only remove the GFX from Preview. Hold Down will enable the selected GFX to Preview as long as a button is held down. For Output: Toggle will put the selected GFX directly on program -
	similar to PUSH. A subsequent push till turn it off - similar to PULL. Show will put the selected GFX on Program (PUSH) and mimic the PUSH behaviour from Livestream Studio (flashing yellow). Hide will take it off program (PULL). Hold Down will enable the selected GFX to Program as long as a button is held down.
	Pulse inputs: Not implemented.
	Binary outputs: Not implemented.
	<i>Button colors:</i> Will be red/green when enabled. For Show option for Output the button mimics the PUSH behaviour from Livestream Studio (flashing yellow)
	Displays:
	For Output Toggle: GFX Prg T/GFX Number
	Show: GFX Prg Ps/GFX Number Hide: GFX Prg Pl/GFX Number
	Hold Down: GFX Prg H/GFX Number
	For Preview
	Toggle: GFX Prv T/GFX Number Show: GFX Prv Ps/GFX Number
	Hide: GFX Prv PI/GFX Number
	Hold Down: GFX Prv H/GFX Number
Media	Controls layout of the Media tabs. The "Source" selection equals the MEDIA tabs in Livestream Studio and not the actually source list.
^{#1} 1	
Home INSI CP -	Binary triggers: Play Selection will engage "Play/pause video inside "in" and "out"
Home INS CP - LiveStream: Media ▼ Source: 1 ▼ ✓ Play Selection ≡	points" and a subsequent trigger will pause. Play Full will engage "Play/
+ Play Full Pause	pause any part of video" and a subsequent trigger will pause. Pause will pause the video regardless on how the clip play have been initiated.
	Pulse inputs: Not implemented.
	Binary outputs: Not implemented.
	<i>Button colors:</i> In "Play Selection" mode highlighted yellow when clip is playing otherwise dim. In "Play Full" highlighted green when clip is playing, otherwise dim. For "Pause" yellow/green highlighted when clip is playing.
	Displays:
	Play Selection: Play In Out/Media Number
	Play Full: Play Full/Media Number Pause: Pause/Media Number
Cut	Executes CUT transition
^{#1} 1	Binary triggers: Transition source in preview to program and program to preview.
Home INS CP - LiveStream: Cut	Pulse inputs: Triggers a CUT
+	Binary outputs: Not implemented.
	Button colors: Dimmed but highlighted when activated
	Displays: "Cut/Trig"

Auto	Executes assigned transition via AUTO
	<i>Binary triggers:</i> Transition source in preview to program and program to preview using the transition type selected
Home INS CP = LiveStream: Auto	Pulse inputs: Triggers a AUTO
	Binary outputs: Not implemented.
	Button colors: Dimmed but highlighted red when activated
	Displays: "Auto/Trig"
Fade to Black (FTB)	Fade Program Output to Black
#1 1	<i>Binary triggers</i> : Pressed once, fades program output to black, subsequent trigger fades program up from back.
Home INS CP - LiveStream: FTB - E	Pulse inputs: Triggers a FTB
	Binary outputs: On when FTB engaged.
	Button colors: Dimmed but blinking red when activated.
	Displays: "FTB/Trig"
Transition Position	Controls Transition Position via analog component (slider, fader, T-bar)
#1 1	Binary trigger: Not implemented.
Home INS CP =	Pulse input: Not implemented.
LiveStream: Transition Pos	Analog input: Sets transition position
	Binary output: Not implemented.
	Button color:
	Note: If action assigned directly on a transition LED bar the LED bar will always light up from the same side. However if on the transition LED bar the system action "Tie to HWC#" is used and tied to the slider/fader/T-bar the order of the LEDs will be correct.
Audio Volume	Controls the audio volume of the selected channel. Alternative select
#1	Source on Program/Preview to control or Stream/Record
	Binary triggers: Not implemented.
Home INS CP = LiveStream: Audio Volume Source: 1	<i>Pulse inputs</i> : Left/Right adjust the volume linearly but does not cycle around. Push down toggles between coarse/fine mode. Push down for 1
Mem J	second resets to 0dB.
Mem K	Binary outputs: Not implemented.
Mem L	Button colors:
Source on Program	<i>Displays: "</i> Volume Src X/value dB"
Source on Preview	Displays. Volume Sic Arvalue up
Stream	
Record	



Record	Start/Stop recording in Livestream Studio
#1 1	<i>Binary triggers</i> : Start recording, subsequent trigger will stop recording. For Hold Down recording is enabled as long as the button is held down.
Home INS CP = LiveStream: Record + Hold Down	Pulse inputs: Start/stop recording
Toggle	Binary outputs: Not implemented.
	Button colors: Red when recording, otherwise dim.
	Displays: "Rec/Start" & "Rec/Stop"
Stream	Start/Stop streaming in Livestream Studio
#1 1	<i>Binary triggers:</i> Start streaming, subsequent trigger will stop streaming. For Hold Down streaming is enabled as long as the button is held down.
Home INS CP = LiveStream: Stream V = Hold Down	Pulse inputs: Start/stop streaming
Toggle	Binary outputs: Not implemented.
	<i>Button colors</i> : Red when streaming, otherwise dim. Blinking red when starting/stopping streaming
	Displays: "Strm/Start" & "Strm/Stop"